



1	2	3	4	5	6	7	8	9	10	IF IN DOUBT ASK
---	---	---	---	---	---	---	---	---	----	-----------------

ISS	AUTHOR	CHANGE	CHECKED	REVISED	APPROVED	DATE	CHK
1	AS	ORIGINAL	AA	AA	AA	11.09.2025	




3D VIEW

CONCRETE SPECIFICATION

- CONCRETE DESIGN TO BS EN 206:2013 AND BS EN 8500-1:2015
- CEMENT ACCORDING TO BS EN 197-1:2011
- AGGREGATE ACCORDING TO BS EN 12620:2013
- MAX SIZE OF AGGREGATE 20mm
- CONCRETE GRADE C30
- WATER-CEMENT RATIO 0.60
- CEMENT CONTENT 280kg/m³


ALLOW EACH POUR OF CONCRETE TO CURE FOR 7 DAYS MINIMUM

TOP VIEW




INSECURE SIDE

FENCELINE ATTACHED TO MATCH SECURITY RATING



SIDE VIEW

- 2x ANTI TAMPERING LOCK
- CONTROL ACCESS DOOR
- TOP LID HANDLE



SECURE SIDE

ALL DIMENSIONS ARE IN MILLIMETERS

SCALE: ISO 2768-m,k

THIRD ANGLE PROJECTION

THE INFORMATION CONTAINED IN THIS DRAWING IS CONFIDENTIAL AND MUST NOT BE PASSED IN WHOLE OR IN PART TO THIRD PARTIES WITHOUT THE PERMISSION OF FRONTIER PITTS LTD.

FRONTIER PITTS MIDDLE EAST

FRONTIER-PITTS MIDDLE EAST
OFFICE 1301, 13TH FLOOR,
COMMERCIAL BUILDING, C88
BAGHDAD STREET ABU DHABI, UAE.

OFFICE: +971-26312272
email: sales@frontierpitts.ae
website: www.fpgulf.com

CLIENT/CONTRACTOR:
FOR INFORMATION ONLY

SITE:
PLATINUM SR2B3 TURNSTILE
B3 LH 90 DEG
INSTALLATION DETAILS

DRAWING NUMBER: FPME-SALES-029-V1

ISSUE: 1

ALL ANGLES ARE PERPENDICULAR UNLESS NOTED OTHERWISE
CONSULT DESIGN OFFICE IF ROADWAY IS NOT LEVEL TO ±10mm